

ClearOne ChatAttach 150 IP Conference Phone



Product Name: ClearOne ChatAttach 150 IP Conference Phone

Manufacturer: ClearOne

Model Number: CC-910-156-200-00

ClearOne ChatAttach 150 IP Conference Phone

USB Conference calls are no longer limited to small tables. The CHATAAttach 150 facilitates USB conferencing for medium and large conference rooms. USB Conference calls are no longer limited to small tables. The CHATAAttach 150 facilitates USB conferencing for medium and large conference rooms. The CHATAAttach conferencing system, which includes two CHAT 150s, enables even distribution of microphones and loudspeakers as well as centralized access to mute and volume controls. No matter where participants are seated, conversations are natural and effortless. A professional audio solution for USB conference calls located in medium and large sized conference rooms. The CHATAAttach 150 includes:

- 2 CHAT 150 pods
- 2 USB Cables (only 1 is needed)
- CHATAAttach Expansion Kit - Attach Cable (10ft) - Power Adapter - Attach Quick Start Guide

The CHATAAttach 150 connects to PCs for rich, full-duplex audio communications, and can be used with VoIP softphones, web collaboration applications, instant messaging, and any other application requiring two-way audio. Connects to laptops and PCs - for use with:

- VoIP softphones, such as Avaya, Cisco, Nortel
- Internet telephones, such as Skype or Vonage
- Web conferencing applications, such as LiveMeeting, Sametime, and WebEx
- Instant messaging with audio chat
- Audio playback with media players, such as QuickTime, RealPlayer, Windows Media Player

Featuring ClearOne's trademark audio processing performance, CHATAAttach 150 delivers unmatched full-duplex capability for crystal-clear communications. It includes three built-in microphones for full 360-degree pickup. The CHATAAttach 150 is a perfect addition to the office or conference room for greatly enhanced collaboration. **KEY FEATURES**

- Contains HDConference® audio technologies: - Full duplex-allows users to listen and speak at the same time - Distributed Echo Cancellation®-identifies and eliminates acoustic echo for audio that is more intelligible - Noise reduction-identifies noise from lights, fans, projectors, etc., and eliminates it - First mic priority-intelligently changes microphone levels depending on who is speaking - Automatic gain and level controls-adjust mic and speaker levels automatically - Adaptive modeling-continuously samples room acoustics for any changes
- USB powered (2.0 compatible)
- 3 microphones for full 360° audio pickup
- Easily manage conference calls with 1 to 6 participants

ADVANTAGES

- True plug and play operation
- Hands-free comfort and flexibility
- Move around freely without being tethered with a headset
- Easily support up to 6 conference call participants
- Avoid the discomfort from prolonged headset use
- Eliminates the need for a large, expensive conference phones
- Replaces the PC's speakers and microphone with a high-quality, purpose-built audio solution
- Full bandwidth frequency response delivers better audio

ClearOne ChatAttach 150 IP Conference Phone

ClearOne ChatAttach 150 IP Conference Phone Technical Specifications System Requirements

- Windows XP, Windows Vista or Windows 7

Connections

- Version 2.0 Compatible
- Type: Mini-B Female

Keyed Connector:

- Keyed RJ-45 (8-conductor)
- Line Input/Output via VC Breakout Box (BoB)

Frequency Response:

- 20 Hz - 20 kHz +/- 1 dB
- Maximum Level: +6 dBu
- Input Impedance: 10 k
- Output Impedance: 50

Controls

- Volume Up
- Volume Down
- Microphone Mute
- Audio

Speaker:

- Bandwidth: 190 Hz - 20 kHz
- Max Output Level:
- 85 dB SPL @ 1 foot (0.30 meter)

Microphone

- Bandwidth: 50 Hz - 7.75 kHz

Environmental

- Operating Temperature:
- 41 - 104° F (5 - 40° C)

Processing

- Full Duplex
- Distributed Echo Cancellation (D.E.C.)®
- Noise Cancellation (NC)
- Automatic Level Control (ALC)
- Line Echo Cancellation (LEC) - Selectable
- First Mic Priority

Power

ClearOne ChatAttach 150 IP Conference Phone

- USB:
- 5 VDC @ 500 mA Maximum

External:

- Input: 100 - 240 VAC
- Output: 9 VDC @ 560 mA
- Tip: Power
- Ring: Ground

Mechanical

- Dimensions (W x D x H):
- 7.4 x 7.4 x 1.8 (18.8 cm x 18.8 cm x 4.6 cm)

Weight:

- 1.17 lbs (0.53 kg)

Compliance

- RoHS

REACH

- FCC Class A Part 15
- ICES-003
- CE Listed
- UL Listed

Model Numbers

910-156-200 CHAT 150 USB

- Single CHAT 150 and Connecting Cable

910-156-200-00 CHATAttach 150

- Two (2) CHAT 150 Devices, Connecting Cables and Power Supply

910-156-222 CHAT 150 Avaya

- CHAT 150 and Connecting Cable to Avaya Enterprise Phone

910-156-220 CHAT 150 Cisco

- CHAT 150 and Connecting Cable to Cisco Enterprise Phone

910-156-230 CHAT 150 VC

- CHAT 150 and Cable to Video Conference System

Accessory Part Numbers

860-156-230L

- CHAT 150 VC Accessory Kit

ClearOne ChatAttach 150 IP Conference Phone

- Includes Video Conferencing Breakout Box, Power Adapter, International Power Clips, RCA Connection Cable, 25' Link Cable

860-156-222L

- CHAT 150 Avaya Accessory Kit
- Includes Breakout Box for 2410, 2420, 4610 and 4621 Telephone Handsets, Power Adapter, International Power Clips, RJ-9/RJ-9 Telephone Cable, 25' Link Cable

860-156-220L

- CHAT 150 Cisco Accessory Kit
- Includes Breakout Box for 7940, 7960, and 7970 Telephones, Power Adapter, International Power Clips, RJ-9/RJ-9 Telephone Cable, 25 Link Cable

910-156-225

- CHATAAttach Expansion Kit
- Includes Cables, Power Supply and Quick Start Guide to Update Two (2) CHAT 150 Devices to CHATAAttach

Price: £766.60
