ClearOne Chat 150 (VC) IP Conference Phone



Product Name: ClearOne Chat 150 (VC) IP Conference Phone

Manufacturer: ClearOne

Model Number: CC-910-156-230

ClearOne Chat 150 (VC) IP Conference Phone

A speaker phone for individual or small group use. The Chat 150 connects to video conferencing systems for rich, full-duplex audio communications. It provides microphone pickup and echo cancellation that is far superior to the built-in audio on video systems. A perfect addition to multimedia conference rooms for greatly enhanced collaboration. Also connects to PCs for VoIP applications. APPLICATIONS Video Conferencing Polycom, Sony, Tandberg Web Conferencing

- IBM Workplace
- Microsoft Live Meeting, WebEx

VoIP Softphones Avaya, Cisco, Nortel Internet Telephony Google Talk, Skype, Vonage Instant Messenger AOL, Microsoft MSN, Yahoo ADVANTAGES Experience fullduplex audio for video conferencing systems

- Connect the Chat 150 to settop and installed video conferencing systems for superior echo & Connect the Chat 150 to settop and installed video conferencing systems for superior echo & Connect the Chat 150 to settop and installed video conferencing systems for superior echo & Connect the Chat 150 to settop and installed video conferencing systems for superior echo & Connect the Chat 150 to settop and installed video conferencing systems for superior echo & Connect the Chat 150 to settop and installed video conferencing systems for superior echo & Connect the Chat 150 to settop and installed video conferencing systems for superior echo & Connect the Chat 150 to settop and installed video conferencing systems for superior echo & Connect the Chat 150 to settop and installed video conferencing systems for superior echo & Connect the Chat 150 to settop and installed video conferencing systems for superior echo & Connect the Chat 150 to settop and installed video conferencing systems for superior echo & Connect the Chat 150 to set of systems for superior echo & Connect the Chat 150 to set of systems for superior echo & Connect the Chat 150 to set of systems for superior echo & Connect the Chat 150 to set of systems for superior echo & Connect the Chat 150 to set of systems for superior echo & Connect the Chat 150 to set of systems for superior echo & Connect the Chat 150 to set of systems for superior echo & Connect the Chat 150 to set of systems for superior echo & Connect the Chat 150 to set of systems for superior echo & Connect the Chat 150 to set of systems for superior echo & Connect the Chat 150 to set of systems for superior echo & Connect the Chat 150 to set of systems for superior echo & Chat 150 to set of systems for superior echo & Chat 150 to set of systems for superior echo & Chat 150 to set of systems for superior echo & Chat 150 to set of systems for superior echo & Chat 150 to set of systems for superior echo & Chat 150 to set of systems for superior echo & Chat 150 to set of systems for superior ec
- Use the speaker built in to the Chat 150 for farend audio, or disable it to use speaker system on the TV or in the room

Enjoy crisp, clear audio Advanced ClearOne HD Conference

TM audio processing technologies deliver remarkably rich, full audio for natural, effortless conversations:

- Distributed Echo Cancellation
- Noise cancellation
- Advanced automatic level management
- True full duplex performance allows user to listen and speak at the same time without audio cutting in and out
- Three builtin microphones provide full 360degree coverage up to 8 feet from device
- Enable highquality speaker phone capabilities on PCs or laptops

Connect the Chat 150 to laptops & DCs via USB for handsfree audio for:

- VoIP softphones
- Instant Messaging audio chats
- Web conferences

Bridge audio from PC applications with audio on video conferencing system for instant 3way conference bridge

Allows users to easily switch between devices; software applies optimized settings to Chat 150 for each device. Autoupdates from the web to keep software & Chat 150 uptodate with the latest enhancements. COMPONENTS

- USB 2.0 Documentation on CD
- VC Breakout Box Connection Cable Part# 800-156-200 Part# 830-156-200
- Power Supply Power Supply Clips Quick Start Guide 25' RJ-45 6' RCA
- Part# 551-156-200 Part# 551-153-500-016 Part# 800-156-202 Connection Cable Connection
- Part# 830-156-011L Part# 830-156-230

ClearOne Chat 150 (VC) IP Conference Phone

All the components you need to quickly get up and running, including multiple adapters for U.S. & the components you need to quickly get up and running, including multiple adapters for U.S. & the components you need to quickly get up and running, including multiple adapters for U.S. & the components you need to quickly get up and running, including multiple adapters for U.S. & the components you need to quickly get up and running, including multiple adapters for U.S. & the components you need to quickly get up and running, including multiple adapters for U.S. & the components you need to quickly get up and running, including multiple adapters for U.S. & the components you need to quickly get up and running, including multiple adapters for U.S. & the components you need to quickly get up and running, including multiple adapters for U.S. & the components you need to prove the components you need to prove the components you need to prove the components you need to be adapted to the components you need to be a support of the components you need

ClearOne Chat 150 (VC) IP Conference Phone Technical Specifications

Connections

USB connector

Version 2.0 compatible Type: Mini B Female Keyed connector

Keyed RJ45 (8 conductor)

Controls

- Volume up
- Volume down
- Microphone mute

Operating System Support Windows XP Speaker

- Bandwidth: 150Hz15kHz Max output level: 86dBSPL @ 1 foot
- Microphone
- Bandwidth: 50Hz8kHz
- Line input through VC Breakout Box
- Frequency response: 20Hz20kHz +/1dB Maximum input level: +6 dBu Input impedance: 10K Ohms
- Line output through VC Breakout Box
- Frequency response: 20Hz20kHz +/1dB Maximum output level: +6 dBu Output impedance: 50 Ohms

Processing

- Acoustic echo cancellation
- Noise cancellation
- Line echo cancellation (selectable)

Power

- USB powered 5 VDC @ 500mA maximum
- 100240 VAC input
- 9 VDC @ 560mA output

Environmental

- Operating temperature: 5 40 degrees C (41 104 degrees F)
- Storage temperature: 0 70 degrees C (32 158 degrees F)

Mechanical

- CHAT 150 dimensions (WxDxH): 7.4 x 7.4 x
- 1.8 (18.8cm x 18.8cm x 4.6cm)
- Weight: 1.17 lbs (.53kg)

Compliance

ClearOne Chat 150 (VC) IP Conference Phone

RoHS FCC Class A Part 15 FCC Part 15.19 (A) (3) ICES003 EU compliance Model Numbers

910156230 Chat 150 VC Connects to video conferencing systems Accessory Part Numbers 860156222L Chat 150 Avaya accessory kit Includes breakout box for 2410, 2420, 4610 and 4621 telephone handsets, power adapter, international power clips, RJ9/RJ9 telephone cable, 25' link cable 860156220L Chat 150 Cisco accessory kit Includes breakout box for 7940, 7960, and 7970 telephones, power adapter, international power clips, RJ9/RJ9 telephone cable, 25 link cable

Price: £407.50