Product Name: CyberData VoIP V3 Indoor Intercom (011211)
Manufacturer: CyberData
Model Number: 011211

CyberData VoIP V3 Indoor Intercom (011211) - RAL 9003, Signal White
The newest version of the CyberData VoIP V3 Indoor Intercom (011211) is perfect for settings requiring two-way communication and secure access. The new processor allows for faster capabilities.
Key Features

• Simultaneous SIP and multicast
• Night Ringer function
• Dual speed 10/100 Mbps
• POE 802.3af
• SRST Support
• Network firmware upgradeable
• Network volume adjustable
• Network microphone sensitivity adjust
• Power-over-ethernet enabled
• Tamper sensor
• Dry contact relay

One of many within our line of Power-over-Ethernet (PoE 802.3af) intercoms, the v3 Indoor Intercom has been utilized within nursing care and assisted living facilities, schools and universities, daycare facilities, apartment complexes and more, delivering a versatile, cost-efficient alternative to old analog intercoms.

Typical Installation - Door Entry/Access Control

Generic PoE Switch

Door Strike   VoIP Intercom   VoIP Intercom   VoIP Intercom   IP Phone   IP PBX Server



PCBA 021078D

Push-Button to J2

J2

Mounting Screws

CALL PUSH BUTTON

PCBA Mounting Screws

Back Plate

J7

J6

Speaker to J7

Microphone to J6

CyberData VoIP V3 Indoor Intercom (011211) Technical Specifications
VoIP Intercom

• Protocol SIP RFC 3261 Compatible
• Ethernet I/F 10/100 Mbps
• Power Input PoE 802.3af or +5V at 1A
• Operating Temperature -30 to 55C (-22 to 131F)
• Payload Types G711 A-Law and u-Law
• Regulatory Compliance FCC Class A, UL 60950
• Dimension 5" x 5" x 2.5" (H x W x D)
• Warranty 2 Year Limited
• Part Number *011211, RAL 9003, Signal White *This number replaces the 011111 number.

 Features

• PoE 802.3af enabled (Powered-over-Ethernet)
• SIP compliant
• Adaptive full-duplex voice operation
• Network web management
• Network adjustable speaker volume and microphone sensitivity
• Network downloadable firmware
• Concurrent SIP and multicast paging
• Dry relay contact for auxiliary control
• Peer-to-peer capable
• Door closure and tamper alert signal
• New Feature: Now supports SRST (Survivable
• Remote Site Telephony) in a Cisco environment.

**Price: £361.90**