

# Doro IP880dect IP Telephone



Product Name: Doro IP880dect IP Telephone

Manufacturer: Doro

Model Number: -

Availability: Discontinued

Please note that the Doro IP880 has been discontinued. We recommend the Snom M3 as a good alternative.

Doro IP880dect

An expandable complement to wired VoIP systems, ip880dect provides greater user freedom with DECT wireless technology. Each ip880dect gateway can handle up to 8 SIP accounts and handsets, 2 SIP providers (e.g. external long distance service plus own SIP enabled PBX for internal/incoming calls) as well as regular PSTN service. Perfect for small businesses or individual departments within larger companies.

Main features:

- 

LAN interface connection: 10BASE-T (RJ45 8/8)

- 

PSTN connection: RJ11

- 

Double antenna for diversity

- 

3 concurrent VoIP calls (SIP 2.0 – RFC3261)

- 

Call forward options (all, busy and no answer)

- 

Voice mail support (provider dependant)

- Call timer
- Call transfer, call hold DECT
- Call transfer (Attend and Blind), call hold SIP
- Music on hold support (only via PBX)
- Call divert
- Call park, call pick-up (only via PBX)
- Call waiting / switching between calls
- Redial
- Caller ID with name from phonebook
- VID ring tone (IP and PSTN)
- Call log: incoming, outgoing and missed calls

- Call return (from call log)
- Call swap (one handset toggles between two calls)
- Internal call
- Gateway phonebook
- Speed dial
- Automatic on hook when returning to charger
- DTMF sending in call
- Emergency call routing to PSTN
- CID; FSK and DTMF. Message waiting.
- CODECSs: G.711, G729A/B

SIP features:

- RFC3261 compliant
- Digest/basic authentication
- DNS SRV (RFC3263), redundant server support
- Offer/Answer (RFC3264)
- Message waiting indication reception (RFC3842)
- Subscription for MWI (RFC3265)
- In-Band DTMF/Out of band DTMF (RFC2833)
- STUN Client (NAT Traversal)
- rport (RFC3581)
- REFER (RFC3515)
-

8 SIP registrations with dual SIP server/registrar

- 

SIP configuration via http-page or from handset

## Handset Features

- 

Lithium battery 650mAH

- 

Talk time 15h

- 

Standby time 150h

- 

Headset jack: 2,5mm

- 

64K CSTN backlit Colour LCD display

- 

5 levels battery indicator

- 

Key lock

- 

Speakerphone

- 

Microphone mute

- 

Ringer off selection

- 

Message indication

- 

Phonebook

- 

Alarm

- 

Out of range warning

- 

10 Selectable ringer melodies

- 

Adjustable ringer volume

- 

Adjustable handset, speaker and headset volume

- 

Auto answer

- 

Automatic encryption (DECT)

# Doro IP880dect IP Telephone

- 

Call reject option

- 

Date/Time from the network

- 

Key beep on/off

- 

Multi Language support: DE, EN, ES, FR, IT, NL, PL, PT and SE

- 

Redial

- 

Silent selection at incoming call

**Price: £149.00**

---