

Gigaset S510H DECT Pro Handset



Product Name: Gigaset S510H DECT Pro Handset

Manufacturer: Gigaset

Model Number: S510H

Please Note: This Gigaset S510H has been discontinued. For an alternative, we recommend the Gigaset S650H Pro DECT Handset.

Gigaset S510H DECT IP Pro Handset

The Gigaset S510H is the perfect device for busy people. The S510H PRO Handset is perfect to use with N720 IP PRO, N510 IP PRO and the Gigaset DX800A All-in-one, hybrid desktop phone. Gigaset S510H Handset Key Features

- Brilliant, 1.8" TFT colour display with 8 lines
- Intuitive, icon-based user interface
- Convenient data exchange via Bluetooth® or mini-USB
- Time-specific, 'do not disturb' function for external, non-VIP calls
- Handsfree talking with brilliant sound quality
- 4 handsfree profiles for personal voice quality experience
- Organiser with calendar and reminder functions
- Ergonomic keypad with adjustable illumination and keypad protection
- Side keys for easy volume adaption
- Address book for up to 500 vCard entries
- Headset connection via Bluetooth® or 2.5mm jack

The Gigaset S510H can also be connected to all other Gigaset DECT base stations. The Zero-touch installation ensures quick and easy configuration.

Connectivity

Flexible connectivity options with the S510H PRO.



* may cause limited functionality

Multicell DECT Base Station			
Model	Signal MT200P-PHC Base Station	MT200P-PHC Base Station	MT10000-P Base Station
Key Note	100	250	250
Number of Channels	100	250	250
Maximum Simult. Calls per Base (MT200P)	2 (Max 10 / 100 calls)	4 (Max 10 / 100 calls)	10 (Max 10 / 100 calls)
4G Calls per Base (MT200P)	4 (Max 10 / 100 calls)	4 (Max 10 / 100 calls)	4 (Max 10 / 100 calls)
4G Calls per Base (MT10000)	4 (Max 10 / 100 calls)	4 (Max 10 / 100 calls)	4 (Max 10 / 100 calls)
		MUL=100	PGC=000

VoIPVN <http://voip.com.vn>

Gigaset S510H DECT Pro Handset

Gigaset S510H DECT Pro Handset Technical Specifications

User interface

- Intuitive, modern user interface with icons and soft keys
- Simple operation via text-based sub-menus and soft keys
- Two different menu views for individual needs: simple or complete

Phonebook and dialling

- Address book with up to 500 vCard entries
- vCard entries: first and last name, three numbers, email, date reminder, VIP melodies and picture caller ID
- Large font available for phonebook and call lists
- Lists of incoming, outgoing, missed and dialled calls
- Redialling of last 20 numbers entered
- 9 programmable keys
- Mute key, key lock and flash key
- Automatic redial function
- Direct access to outgoing line via off-hook key
- Dial preparation: input and correction of phone numbers before connecting

Receiving calls

- Caller indication displayed via CLIP and CNIP
- 20 ringer melodies
- Individual ringer melodies for VIP entries and internal callers
- Anonymous call silencing

Connectivity

- Connects to PC interface via mini-USB or Bluetooth®; with Gigaset QuickSync software
- Gigaset QuickSync software enables:
 - Data transfer of phonebook entries from Microsoft Outlook
 - Downloads of pictures for picture caller ID and screensaver picture show
 - Downloads of sound files
 - Firmware update for Windows OS
 - Computer telephony integration for Windows OS
 - Direct dialling of Outlook contacts
 - Display of incoming calls on PC
- Connectivity with Bluetooth®; enables:
 - Bluetooth®; headset vCard exchange with mobile phones

DECT range

- Indoor range: up to 50 meters
- Outdoor range: up to 300 meters

Operation time

- Talk time: up to 15 hours
- Standby time: up to 230 hours
- Charge time: approx. 7 hours

Dialling mode

Gigaset S510H DECT Pro Handset

- DTMF, pulse

Dimension of Handset

- 146mm (L) x 49mm (D) x 26mm (H), 125g M

Green office

- Up to 60% less energy consumption, thanks to an energy-saving power supply

Packaging

- Handset, battery cover for handset, 2 x AAA (NiMH), belt clip, charger, power supply for charger, safety instructions
- Dimension: 224 mm (L) x 166mm (D) x 60mm (H)
- Overall weight approx.: 330g

Environmental conditions

- Operating temp: +5 to +45° C
- Storage temp: -15 to +60° C (maximum storage time one week)
- Relative Humidity: 20% -75% non condensating

Please Enquire
