


Xiamen Mairdi Electronic Technology Co., Ltd is one of the best Call Center Headset makers in China . Mairdi Headsets have been trusted by more and more enterprises in the world by our advanced technology ,high quality and good service. Sound quality and low price are the features of Mairdi Headset.

Product Features:

- Personality looks : Monaural and binaural styles, black or red covers is optional, can meet customer's personality requirements
- Multiple optional fittings can be chose, can meet various customer's professional requirements
- Comfortable ear cushions , lightweight headband and flexible cord design, as well as adjustable microphone boom ,work to enhance every-talk 's good audio quality and all-day's wearing comfort
- 2 Year Warranty with CE ,FCC certificated.



Product Certification



FC

DECLARATION OF CONFORMITY

This Verification of Compliance is hereby issued to the product designated below.

Product: Call Center Headsets or Office Headsets or Telephone Headsets

Model: MRD-509C, MRD-509PC, MRD-509DC, MRD-509DPC, MRD-512C, MRD-512PC, MRD-512DC, MRD-512DPC, MRD-512C, MRD-512PC, MRD-512DC, MRD-512DPC, MRD-509C, MRD-509PC, MRD-509DC, MRD-509DPC

Trade name: Maindi

Applicant: Xiamen Maindi Electronic Technology Co., Ltd.
5/F Siming Guangshun Building, No.55 Qianpu Industrial Park, Siming District, Xiamen, China

Applicable Standard(s): FCC Part 15 Subpart B Class B(DoC)

Report No.: SZ120914802-EP

Laboratory: Compliance Certification Services Inc.
No. 81-1, Lane 105, Bala 2nd Rd., Lucha Township, Taoyuan County, Taiwan
Tel: +886-3-3240332 / Fax: +886-3-3240325

This device has been tested and found to comply with the stated standard(s), which is(are) required by the Federal Communications Committee. The test results are indicated in the test report and are applicable only to the tested sample identified in the report.

David Wang / Manager
COMPLIANCE CERTIFICATION SERVICES INC.
Date: September 25, 2010

程智科技股份有限公司
Compliance Certification Services Inc.

FC

DECLARATION OF CONFORMITY

This Verification of Compliance is hereby issued to the product designated below.

Product: Call Center Headsets or Office Headsets or Telephone Headsets

Model: MRD-512USA, MRD-512DUSA, MRD-510USA, MRD-510DUSA, MRD-509USA, MRD-509DUSA, MRD-508USA, MRD-508DUSA

Brand: Maindi

Applicant: Xiamen Maindi Electronic Technology Co., Ltd.
West of S/F Xinte Building, No.30 Xiangming Road, Torch(Xiang An)Hi-Tech Industrial Zone, Xiamen, China

Applicable Standard(s): FCC Part 15 Subpart B Class B(DoC)

Report No.: SZ101111B04-EP

Laboratory: Compliance Certification Services Inc.
No. 81-1, Lane 105, Bala 2nd Rd., Lucha Township, Taoyuan County 33841, Taiwan (R.O.C.)
Tel: +886-3-3240332 / Fax: +886-3-3240325

This device has been tested and found to comply with the stated standard(s), which is(are) required by the Federal Communications Committee. The test results are indicated in the test report and are applicable only to the tested sample identified in the report.

David Wang / Manager
COMPLIANCE CERTIFICATION SERVICES INC.
Date: December 3, 2010

CERTIFICATE OF CONFORMITY
Certificate No.: SD1009069

The Certification Body of
CERTITEK TESTING AND CERTIFICATION LTD
Certifies that

Applicant: Xiamen Maindi Electronic Technology Co., Ltd

Address: 5/F Siming Guangshun Building, No.55 Qianpu Industrial Park, Siming District, Xiamen, China

Product: Call Center Headset or Office Headset or Telephone Headset

Type: MRD-509, MRD-509D, MRD-510, MRD-510D, MRD-512, MRD-512D, MRD-508, MRD-508D

Complies with the requirements of the European Community Directive 2004/108/EC. The submitted products have been tested by us and found in compliance with the following European Standards:
EN 55022:2006+A1:2007; EN 55024:1998+A2:2003
EN 61000-3-2:2006; EN 61000-3-3:2008

This certificate of conformity is based on an evaluation of a sample of the above mentioned product. It does not imply an assessment of the whole production. The CE markings as shown below can be affixed on the product after preparation of necessary technical documentation.

Signature: Thomas Diong
Date of issue: September 25, 2010

CTK CE

CERTITEK TESTING AND CERTIFICATION LTD
Unit 8, Bala 2nd Road, Lucha Township, Taoyuan County, Taiwan 33841, R.O.C.
U.S. Office: Tel: +86 20 3621 1070 Fax: +86 20 3621 1040
China Office: Tel: +86 20 3621 1070 Fax: +86 20 3621 1040
Email: info@certitek.com.hk Website: www.certitek.com.hk

CERTIFICATE OF CONFORMITY
Certificate No.: SD1009068

The Certification Body of
CERTITEK TESTING AND CERTIFICATION LTD
Certifies that

Applicant: Xiamen Maindi Electronic Technology Co., Ltd

Address: 5/F Siming Guangshun Building, No.55 Qianpu Industrial Park, Siming District, Xiamen, China

Product: QD Cords

Type: MRD-QD001, MRD-QD002, MRD-QD003, MRD-QD004, MRD-QD005, MRD-QD006, MRD-QD007, MRD-QD008, MRD-USB001, MRD-USB002, MRD-USB003

Complies with the requirements of the European Community Directive 2004/108/EC. The submitted products have been tested by us and found in compliance with the following European Standards:
EN 55022:2006+A1:2007; EN 55024:1998+A2:2003
EN 61000-3-2:2006; EN 61000-3-3:2008


This certificate of conformity is based on an evaluation of a sample of the above mentioned product. It does not imply an assessment of the whole production. The CE markings as shown below can be affixed on the product after preparation of necessary technical documentation.

Signature: Thomas Diong
Date of issue: September 25, 2010

CTK CE

CERTITEK TESTING AND CERTIFICATION LTD
Unit 8, Bala 2nd Road, Lucha Township, Taoyuan County, Taiwan 33841, R.O.C.
U.S. Office: Tel: +86 20 3621 1070 Fax: +86 20 3621 1040
China Office: Tel: +86 20 3621 1070 Fax: +86 20 3621 1040
Email: info@certitek.com.hk Website: www.certitek.com.hk

Main Products



● Wired Headsets

- MRD-509 Series
- MRD-510 Series
- MRD-512 Series
- MRD-308 Series

● Headset dialer


● Aviation Headsets

- MRD-1000
- MRD-1000AC
- MRD-1000H
- MRD-1000HC

● Fittings

- QD Cords
- USB Plugs
- Ear Cushion
- Ear Cover
- Mic Cover
- Others





MRD-509 SERIES

- Voice-tube microphone, light weight and unobtrusive, delivers crystal sound quality
- Click-stop headband for superior fit and comfort.
- Rigid boom with translucent and length-adjustable MIC tube.
- Intercom connector options: 4P4C (RJ9) crystal plug ; 3.5mm or 2.5mm stereo plug or USB2.0 plug.
- M-Volume Control Box (with Mic Mute) is optional.




MRD-509T



R-Rad



D-Dual



Monaural or Binaural



MRD-509



MRD-509D




Black or Red Cover



MIRD-509R



MIRD-509



MRD-510T




R-Red

D-Dual

MRD-510 SERIES

- Has a noise cancelling microphone which cancels out extraneous noise from other sources
- Excellent sound quality, enhanced further through the noise cancelling microphone
- Click-stop headband for superior fit and comfort.
- Flexible boom is easy to adjust.
- Intercom connector options: 4P4C (RJ9) crystal plug ; 3.5mm or 2.5mm stereo plug or USB2.0 plug
- M-Volume Control Box (with Mic Mute) is optional.




Monaural or Binaural



MRD-510



MRD-510D




Black or Red Cover



MRD-510R



MRD-510



MRD-512T



R-Red




D-Dual

MRD-512 SERIES

- Rigid Metal boom provides a clear, crisp sound .
- Rotatable rigid metal boom, sturdy and durable, small and exquisite, makes a light-weight wearing
- Click-stop headband for superior fit and comfort.
- Highly sensitive loudspeaker offers nature and clear talking experience.

- Intercom connector options: 4P4C (RJ9) crystal plug ; 3.5mm or 2.5mm stereo plug or USB2.0 plug
- M-Volume Control Box (with Mic Mute) is optional.




Monaural or Binaural



MRD-512



MRD-512D




Black or Red Cover



MRD-512R



MRD-512



MRD-308 SERIES



- **Gooseneck microphone boom**, a very simple structure with soft ear foams provides international standard hearing protection to your ears
- **Superb bendable gooseneck boom** can make any talking positions
- **Click-stop headband** for superior fit and comfort.

- **Intercom connector options:** 4P4C (RJ9) crystal plug ; 3.5mm or 2.5mm stereo plug or USB2.0 plug
- **M-Volume Control Box** (with Mic Mute) is optional.




Monaural or Binaural



MRD-308



MRD-308D



Black or Red Cover



MRD-308R




MRD-308

Headset Dialer



Model: MRD-650 (Black or White)

- ✓ Incoming call numbers memories
- ✓ Outgoing call numbers memories
- ✓ 16 digits of number of incoming call display and backlight indication
- ✓ 15dB speakerphone volume control
- ✓ Calling number redial
- ✓ On& off button
- ✓ Outer and inner ringing sound control
- ✓ Flash light indicator for incoming call
- ✓ In use indication
- ✓ Electronic calendar indication
- ✓ RJ-11 jack for headset



Aviation Headsets

MRD-1000A



MRD-1000AC




MRD-1000H



MRD-1000HC






MRD-1000A


- **Noise Reduction Ratings(NRR):24dB**
- **Cord Length: 150cm**
- **Intercom Connections:**
Earphone plug:PJ-055(.25" ϕ 6.3 phone plug)
- **Microphone Plug:PJ-068(.206" ϕ 5.2 phone plug)**
- **Boom: Spring tension boom**
- **Apply to normal airplanes**
- **Weights:530g**
- **Color: Green or Black**
- **Color: Green or Black**






MRD-1000AC

- **Noise Reduction Ratings(NRR):24dB**
- **Cord Length: 150cm**
- **Intercom Connections:**
Earphone plug:PJ-055(.25" ϕ 6.3 phone plug)
- **Microphone Plug:PJ-068(.206" ϕ 5.2 phone plug)**
- **Boom: Flexible boom**
- **Apply to normal airplanes**
- **With Noise Reduction Device**
- **Weights:600g**
- **Color: Green or black**




MRD-1000H

- Noise Reduction Ratings(NRR):24dB
- Coiled Cord Length: 70cm
- Intercom Connections:U174/U
- Boom: Spring tension boom
- Apply to helicopters
- Weights:570g
- Color: Green or black



MRD-1000HC

- **Noise Reduction Ratings(NRR):24dB**
- **Coiled Cord Length: 70cm**
- **Intercom Connections:U174/U**
- **Microphone Boom: Flexible boom**
- **Noise Reduction Specifications:**
 - Attenuation Frequency Band-----20HZ to 20KHZ**
 - Attenuation Capacity-----18 to 21dB**
 - Power Consumption-----30mW**
- **Apply to helicopters**
- **With Noise Reduction Device**
- **Weights:640g**
- **Color: Green or Black**



QD Cords



Model: MRD-QD001

- Coiled QD Cord with 3.5mm Stereo Plug
- Coiled Cord Length: 28cm
- Total Cord Length: 65cm



Model: MRD-QD002

- Coiled QD Cord with 4P4C Crystal Plug
- Coiled Cord Length: 28cm
- Total Cord Length: 58cm




Model: MRD-QD003

- Coiled QD Cord with 3.5mm Stereo Plug
- Volume Controller: Speaker Volume up and down, MIC on and off
- Coiled Cord Length: 28cm




Model: MRD-QD004

- Coiled QD Cord with 4P4C Crystal Plug
- Volume Controller: Speaker Volume up and down, MIC on and off
- Coiled Cord Length: 28cm



QD Cords



Model:MRD-QD005

Y Training Cord/ Y Cable

- * GN or PLT QD Plug.
- * Allows two headsets to operate with one talking
- * For training or monitoring purpose
- * Cord Length: 20cm+20cm+40cm.



Model:MRD-QD006

Y Training Cord or Y Cable

- * GN QD Plug.
- * Allows two headsets to operate with one talking
- * For training or monitoring purpose
- * Cord Length: 20cm+100cm+100cm.



Model:MRD-QD011


Coiled QD Cord with 2.5mm audio Plug
Coiled Cord Length: 28cm



Model:MRD-QD008

Y Training Cord/ Y Cable

- * PLT QD Plug.
- * Allows two headsets to operate with one talking
- * For training or monitoring purpose
- * With one volume controller
- * Cord Length: 20cm+40cm+40cm.



USB Cable




Model: MRD-USB001

- QD Cord with USB Plug
- Volume Controller:
Speaker Volume up and down, MIC on and off
- Individual Sound Card: Apply to any software like windows98/2000/XP/7



Model: MRD-USB003

- Y Training Cable with USB and volume controller
- Allows two headsets to operate with one talking
- For training or monitoring purpose
- Volume Controller:
Speaker Volume up and down, MIC on and off
- Individual Sound Card: Apply to any software like windows98/2000/XP/7




AVAYA IP Phones Connecting Cable



Model: MRD-QD009

- Coiled QD Cord with AVAYA IP phone adaptor
- Apply to AVAYA 96 and 16 series IP Phones



Ear Cushion

MRD-RT002



MRD-RT003



MRD-RT004




MRD-RT005





Ear Cover and Others

MRT-RP002



EAR COVER

MRD-MT001




MIC COVER



USB CONTROLLER



M-VOLUME CONTROLLER



Ear Cover and Others



3.5mm Plug




2.5mm Plug



3.5MM STEREO PLUG



2.0 USB PLUG



QD Adaptor



Model: MRD-AD01

- ✓ QD Adaptor
- ✓ Connecting different brands headsets and accessories cables