# Polycom CX100 Speakerphone Microsoft Lync (OCS)



Product Name: Polycom CX100 Speakerphone Microsoft Lync (OCS)

Manufacturer: Polycom Model Number: CX 100

Polycom CX100 Speakerphone Microsoft Lync (OCS)

The Polycom CX100 is designed to work with Microsoft Office Communicator 2007 offering high quality, hands-free calls from yourcomputer. Untie yourself from your headset with remarkable voice quality.

Polycom CX100 Key Features

- Hands-Free Freedom Untile yourself from your headset for clear one-on-one calls or group conversations.
- High-Fidelity Speaker High-quality audio for the best possible voice and video calls. Hardware supports up to 22kHz for CD-quality music or presentation audio.
- Two High-Quality Stereo Microphones Others on your call will hear every word clearly, whether you are in an office or a conference room.
- Easy to Use Convenient buttons enable you to launch applications, pick up and hang up calls, and control volume and mute.
- Built-in Stereo Headphone Port Plug in headphones for private conversations, or unplug to go hands-free.
- Ultimate Portability The integrated USB cable stores inside the unit for portability and convenience.

The Polycom CX100 Speakerphone connects and powers through an integrated USB cable for easy installation and use – no extra cables to carry or batteries to charge. Its small size and carrying case make it easy to take with you. Plus, the high-fidelity speaker doubles as a great portable solution for CD-quality music and presentation audio.

Polycom CX100 Speakerphone Technical Specifications Keypad

- Call Pick-up/Hang-up key
- Application Launch key
- Volume Up/Down keys
- Mute key
- LED light-ring for indication of call status

#### Loudspeaker

- Frequency response: 300 Hz to 19 KHz
- Volume: adjustable to 84 dBa (peak) volume at 0.5 meter

#### Microphones

2 cardioid microphones 200 Hz to 20 kHz

# Polycom CX100 Speakerphone Microsoft Lync (OCS)

# **Auxiliary Audio Output**

- 3.5 mm headphone jack for privacy
- Desktop PC speakers can be plugged in for audio pass-through
- Frequency response: 200 Hz to 22 kHz

#### Audio Enhancements

- Automatic Gain Control
- Dynamic Noise Reduction
- Gated microphones with intelligent switching

# Minimum System Requirements

- Internet connection
- PC with 1 GHz processor
- 256 MB RAM
- 30 MB Hard disk space available for installation
- Windows XP
- One available USB connection

# System Interface

• USB 1.1

# **Recommended Room Conditions**

- Reverberation time: <0.5 seconds
- Noise level: <48 dBa
- Approximate room size: 12 x 12 ft (3.7 x 3.7 meters)

#### Size (L x W x H)

• 5.25 x 3.24 x 0.85 in (13.33 x 8.23 x 2.16 cm)

#### Weight

• 5.4 ounces (151 grams)

# **Environmental Requirements**

- Operating temperature: 40° 104°F (5° 40°C)
- Relative humidity: 20% 85%, noncondensing
- Storage temperature: -22° 131°F (-30° 55°C)

#### Polycom CX100 Speakerphone Ships With:

- Polycom CX100 Speakerphone
- Integrated USB cable
- User guide
- Neoprene carry case

# Regulatory Compliance

# Polycom CX100 Speakerphone Microsoft Lync (OCS)

- FCC Part 15
- ICES-003
- CE
- VCCI
- GOST-R
- C-Tick
- CCC
- CB/NRTL Safety
- MIC
- EN55024
- EN61000-3-2
- EN61000-3-3

Price: £83.50