

# Sangoma Vega Enterprise SBCT-SMB-060-T for SMB with DSP - 60 Simultaneous Calls

Product Name: Sangoma Vega Enterprise SBCT-SMB-060-T for SMB with DSP - 60 Simultaneous Calls

Manufacturer: Sangoma

Model Number: SBCT-SMB-060-T


Sangoma Vega Enterprise SBCT-SMB-060-T for SMB with DSP - 60 Simultaneous Calls

The Sangoma Vega Enterprise SBCT-SMB-060-T for SMB with DSP - 60 Simultaneous Calls is a pure IP-based phone systems, whether installed at your office or hosted "in the cloud", can greatly reduce infrastructure and toll costs and create flexible working environments that were almost unimaginable even a decade ago.

Sangoma Vega SBCT-SMB-060-T for SMB with DSP - 60 Simultaneous Calls Key Features

- Supports 5-60 simultaneous sessions/calls
- Migrate to SIP trunking or Hosted PBX securely
- Empower remote workers
- Interoperates with all major IP PBXs and UC systems, Including Asterisk®, BroadSoft®, Cisco®, Denwa®, Elastix®, FreePBX®, FreeSWITCH®, Gamma®, Lync®, Samsung®, 3CX® and more
- DoS/DDoS attack protection
- Network interconnect point for SIP trunking
- Topology hiding for fraud protection
- Hardware based transcoding factory optional

Enterprise Session Border Controllers (eSBCs) sit at the edge of your company's network and do the heavy lifting for VoIP phone calls that your firewall isn't designed to do. Hide important voice network information, protect your company network from malicious attacks—that can cause your telephone bill to skyrocket or become susceptible for hackers to breach your system and take down the network.



Sangoma Vega SBCT-SMB-025-T for SMB with DSP - 60 Simultaneous Calls - Technical Specifications

Feature/Function Vega Enterprise SBC for the SMB

- Power 60W
- Rack Mount Optional
- Ethernet 4x GigE
- Hardware-assisted RTP Factory Optional
- Session/Call Capacity 60
- Field Upgradeable Yes
- Hardware-ready for Upgrade to Capacity Yes

# Sangoma Vega Enterprise SBCT-SMB-060-T for SMB with DSP

## - 60 Simultaneous Calls

### VoIP

- SIP Trunking and Remote Working
- SIP Intrusion Prevention
- SIP Registration Scan Attack Detection
- SIP Request Rate Limiting
- SIP Friendly Load Limitation
- SIP Registration Pass-thru
- SIP Header Normalization
- SIP Malformed Packet Protection
- Advanced NAT Traversal Capabilities
- Topology Hiding
- ENUM Routing

### Media Capabilities

- Voice, Video, FAX, IM and Presence Support
- Full RTP Transcoding (G.711, G.722, G.729, G.726, G.723.1, iLBC, AMR, G.722.1)1
- T.38 fax relay factory optional with hardware transcoding

### Session and Monitoring

- Multiple Session Routing Options
- RTCP Statistics Reports
- QoS (ToS or DSCP)
- RADIUS CDR and Authentication
- QoS Monitoring and Reporting

### Security

- DDoS / DoS Attack Protection
- Call Security with TLS/SRTP
- Media Security with SRTP
- IPSec Encryption
- IP Firewall

### Hardware

- Power: 60W universal external power supply
- Dimensions: 8.5"(w) x 7.5"(D) x 1.5"(H)
- Rack mounting clips included

### Call Control

- Advanced XML Routing Engine
- Dynamic Load Balancing and Call Routing
- Multiple Call Access Control options
- Least Cost Routing
- Rate limiting: Call and Registration
- Endpoint authentication
- Media Bandwidth Policy
- Intelligent media anchoring/release

# Sangoma Vega Enterprise SBCT-SMB-060-T for SMB with DSP - 60 Simultaneous Calls

## Management

- Easy to use Web Interface
- HTTP XML-based CDR
- Real-time monitoring and debugging

## Warranty

- Standard 12-month warranty is included.

**Price: £2,811.80**

---

VoIPVN <http://voip.com.vn>