

Spectralink 7620 DECT Handset



Product Name: Spectralink 7620 DECT Handset

Manufacturer: Spectralink

Model Number: 0251 0000

Spectralink 7620 DECT Handset

The Spectralink 7620 is ruggedized and durable in harsh conditions no matter if they are humid, dusty, or dirty. Moreover, the Spectralink 7620 which was previously known as the Kirk 6020 DECT Handset offers features to improve the safety of your workforce. Spectralink 7620 DECT Handset Key Features

- TFT color display (65,000 colors, 8 lines of text/icons, 128x160 pixels)
- Li-ion battery
- 4-way navigation key
- 2 soft keys
- CLIP (40 caller-ID presentations)
- Date and time in display

The Spectralink 7620 Handset combines maximum functionality and elegant design with high durability. The handset is designed to meet the needs of a mobile workforce in industrial and manufacturing environments. The strong and robust design of the IP64-compliant handset ensures that it is resistant to dirt, dust, and splashing water. If you require a belt clip you can purchase the Polycom Kirk Belt Clip for 60xx Series [here](#)

Please see the information below if you are not sure what size system or type of technology suits your needs most:

- When to choose a Polycom KIRK solution or a Polycom Wi-Fi solution
- The benefits of choosing a Polycom mobility solution
- Polycom KIRK & SpectraLink business grade on-site mobility solutions



Spectralink 7620 Handset Technical Specifications

Benefits

- By shortening reaction time employees are able to head off issues before they grow into problems
- Instant notifications make users aware of potentially hazardous situations
- Lone workers can send alarms in case of emergency
- Focused communication ensures the correct person can take action right away
- Notification in case of machine failure reduces production downtime
- Arrangement of assistance or coordination improves operational efficiency
- Automatic alarms - if man down, no movement or running is detected - increase personal safety and security

Features

- KIRK 6020/6040
- TFT color display (65,000 colors, 8 lines of text/icons, 128x160 pixels)
- Li-ion battery
- 4-way navigation key

Spectralink 7620 DECT Handset

- 2 soft keys
- CLIP (40 caller-ID presentations)*
- Date and time in display*
- Internal/External ring pattern*
- Volume control
- Telephone book with 250 name entries (4 numbers per name)
- Auto login - roaming between 15 different installations
- Silent mode (mutes all alerts/calls)
- Alerts on silent mode (choice from display flash, vibrator, or short ring)
- List of incoming/missed/received calls (last 40 entries)*
- Redial from call list
- Speed dial
- 10 different ringtones and adjustable ring volume
- Auto answer (b-answer) with different settings (after 1st ring/on headset/loud speaker on). Only possible when not in charger
- Key lock
- Auto key lock
- Any key answer
- Vibrating alert
- Headset connection
- Ringtone in headset
- Adjustable volume in headset
- Answer/End calls via headset button
- Speaker on auto-answer
- Microphone mute
- R-key for transfer and special services
- Adjustable alerting volume (low battery/low coverage/incoming message)
- Adjustable backlight delay (for max. battery conservation)
- Text messaging - stores 20 messages of max. 72 characters per message*
- 10 user-defined message templates
- 2 types of chargers (w/wo USB 2.0 connection)
- Loud speaking/Handsfree
- Intercom/Loud speaker call*
- Base station location*
- HD voice ready
- Virtual SIM support
- Alarm key - ready for application**
- LED**
- Alarm icons and messaging**
- 13 menu languages (UK, FR, DE, ES, IT, NL, CZ, PL, DK, NO, SV, FI, PT)

Spectralink 7620 additional features

- Bluetooth headset connection
- Tear-off string**
- Man down detector**
- No movement detector**
- Running detector**
- Positioning/Localization (phase 2)
- Over the air software update (phase 2)

* System dependent feature. ** Application dependent feature.

Approvals

EMC:

Spectralink 7620 DECT Handset

- EN 301 489-1
- EN 301 489-6
- Radio: EN 301 406
- Safety: EN 60950-1

Size and Weight

- Size: 148 x 50.4 x 21.6 mm
- Weight: 123 g. incl. battery & plusmn; 10 g.

Capacity Spectralink 7620

- Active talking time: up to 20 hours
- Standby time: up to 200 hours
- Battery lifetime: the battery capacity will decrease to approx. 80% after 900 charging cycles. Replacement is recommended

Spectralink 7620 with Bluetooth Enabled

- Active talking time: up to 15 hours
- Standby time: up to 100 hours
- Operating Temperature
- Incl. charging: -10 - +55 °C

IP Rating

According to EN60529:IP64 classified (dust tight and water splash proof)

Tests

- Vibration test: IEC 60068-2-6
- Bump test: IEC 60068-2-27
- Drop test: IEC 60068-2-31

Price: £250.50
