

# VTech ErisStation VCS754 SIP Conference Phone with Four Wireless Mics



Product Name: VTech ErisStation VCS754 SIP Conference Phone with Four Wireless Mics

Manufacturer: VTech Communications

Model Number: VCS754

VTech ErisStation VCS754 SIP Conference Phone with Four Wireless Mics

The VTech ErisStation VCS754 is a SIP Conference Phone with four wireless microphones. The VCS754 allows you to extend your coverage all the way to the conference room with the VTech ErisStation SIP conference phone. It comes with four removable DECT 6.0 microphones that feature Orbitlink Wireless Technology®.

VTech ErisStation VCS754 Key Features

- Central, full-duplex speakerphone in base: Callers can speak and be heard at the same time, just as they would in a face-to-face meeting.
- Support for up to three SIP lines/accounts
- User-friendly interface, large backlit display, three soft keys and navigational pad.
- USB speakerphone: USB connection for using a PC-based softphone or speaker.
- HD voice quality
- SIP codecs G.711 a/u, G.722, G.726, G.729
- Central, full-duplex speakerphone in base
- DECT 6.0 wireless microphones with Orbitlink Wireless Technology
- Up to 8 hours of talk time per wireless microphone
- Up to 70 hours of standby time per wireless microphone
- Built-in wireless microphone charging bays in base: Magnetic charging bays in the base keep the microphones together and ready for the next call.
- Operable in small and medium-sized rooms: With a base speakerphone, 1 fixed and two wireless microphones, ErisStation is a flexible solution for small and medium-sized conference rooms.
- 2-year standard warranty
- Automatic gain control - Digital mixing - Volume control: 10 levels
- 3-way local conference
- N-way network conference
- Local phonebook up to 200 entries
- Call history up to 200 entries

Unlike traditional conference phones, ErisStation lets everyone spread out and speak without having to gather around the phone or raise their voices. Advanced audio features, such as acoustic echo cancellation, automatic gain control and dynamic noise reduction, deliver premium, interference-free sound quality. Plus, integrated design makes it easy to charge the microphones right in the base and keep everything together. Includes 2 fixed microphones and 4 DECT 6.0 wireless microphones with Orbitlink Wireless Technology and support for up to 3 SIP lines/accounts

VTech ErisStation VCS754 - Technical Specifications

Physical Features

- 158 x 57 pixels (w x h) LCD resolution with backlight (white)
- Product weight: 1.77 Kg / 3.89 lbs
- 3 soft keys with 4-way navigational pad
- DECT 6.0 wireless microphones with Orbitlink Wireless Technology®
- Built-in wireless microphone charging bays in base
- Includes 2 fixed microphones and 4 DECT 6.0 wireless microphones
- USB connection for PC softphone / speakerphone
- Active call indicator; green LED on base unit and wireless microphones

# VTech ErisStation VCS754 SIP Conference Phone with Four Wireless Mics

- Mute indicator; red LED on base unit and wireless microphones
- Wireless microphone battery-low indicator; flashing LED
- Wireless microphone auto power off; when base powered off
- Operable in small, medium and large rooms
- AC adapter required (included)

## Audio/Voice

- Central, full-duplex speakerphone in base
- Fast adaptive feedback control
- Acoustic echo cancellation technology
- Comfort noise injection
- Enhanced noise reduction/Dynamic noise reduction (DNR)
- Automatic gain control
- Digital mixing
- Volume control: 10 levels

## Phone Features

- Supports up to 3 SIP account registrations
- 10 ring tones/melodies; 10 ring levels
- 10 speed dial entries
- Pre-dialing with editing
- Local phonebook up to 200 entries
- Call history up to 200 entries
- Alpha phone book search
- Number saving from CID log to phonebook or blacklist
- Do Not Disturb (DND)
- 3-way local conference
- N-way network conference
- Call barring/blocking (block anonymous/blacklist)
- Dial plan/digit map
- Call transfer
- Call hold
- Call forwarding: per-line basis (busy/always/no answer)
- Call timer (call duration)
- Phonebook matching (incoming and outgoing calls)

## Battery/Charging

- Up to 70 hours of standby time per wireless microphone
- Up to 8 hours of talk time per wireless microphone

## Security

- 802.1x
- 802.1pq
- Transport Layer Security (TLS)
- AES encryption of config file for provisioning (128 / 64 / 32 / 16 bits)
- LLDP-MED

## Network

# VTech ErisStation VCS754 SIP Conference Phone with Four Wireless Mics

- STUN
- NAT
- RTP, SRTP
- SNTP
- VLAN
- Layer 3 QoS (ToS, Diffserv)

## Voice CODEC

- G.711 a-law & u-law
- G.722
- G.726
- G.729

## Provisioning

- HTTP, HTTPS, FTP, TFTP
- DHCP options: 66, 159, 160
- Web interface configuration (admin & user)
- PnP

## Maintenance

- Diagnostic: pcap trace
- Syslog

## Compatibility

- Broadsoft®; Broadworks
- Asterisk-based platforms
- Metaswitch Networks
- Genband®;

## Other

- Eco mode (talk mode)
- Replacement Microphone: VCS754-WM
- 2-year standard warranty

**Please Enquire**

---