

VTech ErisTerminal VSP600 SIP DECT Base Station and Cordless Handset



Product Name: VTech ErisTerminal VSP600 SIP DECT Base Station and Cordless Handset

Manufacturer: VTech Communications

Model Number: VSP600A

VTech ErisTerminal VSP600 SIP DECT Base Station and Cordless Handset

The VTech ErisTerminal VSP600 is a SIP DECT Base Station and Cordless Handset that adds hands-free mobility to your SIP communications. Expand up to six VSP601 SIP cordless handsets per base station, each with its own extension or unique phone number. The base station can be configured for up to six lines and supports up to four active, concurrent calls.

VTech ErisTerminal VSP600 Key Features

- Super-clear mobility with Orbitlink Wireless Technology
- Register up to six cordless handsets to the VSP600 DECT cordless base station and program each one with its own phone number or extension.
- Advanced call handling
- Simultaneous call handling: View and manage up to two calls at the same time (per handset).
- Flexibility: With support for up to six SIP lines/accounts, you can manage multiple calls with advanced call handling features.
- Intuitive design: User-friendly interface, large backlit display, two soft keys and navigational pad.
- Convenient mounting: The VSP600 DECT cordless base station can be free standing or wall-mounted.
- Two-year warranty

NOTE: Features and functionality may vary, depending on SIP service provider and/or SIP based PBX equipment.

VTech ErisTerminal VSP600 - Technical Specifications

Base Station Interface

- DECT 6.0 (maximum register) 6 handsets
- Ethernet ports - 10/100MB
- Base power: adaptor (included) and Class 2 Power over Ethernet (PoE)

Base Station Keys and Indicators

- Handset locator key
- Reset key
- Power LED
- VoIP LED

System Features

- Supports up to 6 SIP account registrations (individual or shared among handsets)
- Supports up to 4 outgoing calls in parallel (system-wise)
- Dial plan/digit map
- Do Not Disturb (DND) (per-line basis)
- 3-way local conference
- N-way network conference
- External/Internal call transfer between handsets
- Call transfer
- Call hold
- Call park
- Call forwarding: per-line basis (busy/always/no answer)

VTech ErisTerminal VSP600 SIP DECT Base Station and Cordless Handset

- Call barring/blocking (block anonymous/blacklist)
- Multi-language support

Cordless Handset Display, Keys and Indicators

- 90x65 (wxh)LCD resolution
- LCD backlighting (blue/white)
- Message waiting LED
- 2 soft keys
- 11 dedicated feature keys
- Keypad backlight

Cordless Handset Audio

- Half-duplex speakerphone
- HAC Receiver
- 2.5 mm corded headset jack

Cordless Handset Features

- Maximum number of call handling: 2
- Do Not Disturb (DND)
- Local conference
- External/internal call transfer between handsets
- Call hold
- Call park
- Call forwarding
- Intercom between handsets
- Call timer (call duration)
- Phonebook matching (incoming and outgoing calls)
- Mute
- Multi-language support
- Integrated handset belt clip
- Off-cradle auto answer
- Keypad lock

Cordless Handset Power

- 7 days/7hours standby time/talk time
- Cradle/charger: adapter 6v/300 mA
- Handset battery: 2.4v/550 mAh Ni-MH

Security

- 802.1x
- 802.1pq
- Transport Layer Security (TLS)
- AES encryption of config file for provisioning (128 / 64 / 32 / 16 bits)
- LLDP-MED

Network

- STUN

VTech ErisTerminal VSP600 SIP DECT Base Station and Cordless Handset

- NAT
- RTP, SRTP
- SNTP
- VLAN
- Layer 3 QoS (ToS, Diffserv)

Voice CODEC

- G.711 a-law & u-law
- G.722
- G.726
- G.729

Provisioning

- HTTP, HTTPS, FTP, TFTP
- DHCP options: 66, 159, 160
- Web interface configuration (admin & user)
- PnP

Maintenance

- Software Update Over the Air (SUOTA)
- Diagnostic: pcap trace
- Syslog

Compatibility

- Broadsoft® Broadworks
- Asterisk-based platforms
- Genband®;

Warranty

- 2-year warranty

Price: £96.91
