

Xorcom BRI ISDN Module (XR0037)



Product Name: Xorcom BRI ISDN Module (XR0037)

Manufacturer: Xorcom

Model Number: XR0037

Xorcom BRI ISDN Module (XR0037)

The Xorcom XR0037 Module uses BRI (Basic Rate Interface) ISDN to connect to telephony provider, legacy PBX or ISDN telephone sets. There are two basic configurations for each BRI port - TE (Terminal) - connects to telephony provider and NT (Network) - connects to ISDN phones (requires power supply option) or legacy PBX (as PSTN ISDN trunks).

Xorcom BRI ISDN Module Key Features

- 2, 4, or 8 BRI ISDN ports
- Each port is user configurable - NT/TE
- Power supply is for ISDN telephone sets
- LED status indication for each port including NT/TE status
- Available in combined units with analog ports

The Xorcom BRI module supports two configurations:

- 2 ports (dual BRI) supporting 4 channels
- 4 ports (quad BRI) supporting 8 channels
- 4 ports (quad-port BRI) supporting 16 channels

Each set of ports can be licensed separately (and remotely) allowing field upgrade.

Each module has dip-switches to set each port to either NT or TE mode. Power for ISDN phones is supplied by the module. Status LEDs for each port indicate active settings (TE or NT) and line status (no activity, layer 1 active, layer 2 active). The BRI module is available in both the Astribank full size (1U) chassis as well as in the compact 10" units. One BRI module (with up to eight BRI ports) may be installed in a single Astribank or Xorcom IP-PBX unit. Use the on-line Product Configurator wizard to determine the most suitable configuration to fit your needs.

Price: £159.59
