

Yealink

Professional VoIP Phone Manufacturer



IP Video Phone

IP Phone

USB VoIP Phone



Why Yealink

- Founded in 2001
- Supplies IP video phone, IP phone and USB VoIP phone
- 100% focus on VoIP, 10 years VoIP experience
- The core team is with 16 years telephony experience
- Own VoIP proprietary solution
- VoIP Partners and Customers: T-Mobile, Telefonica, Telecom Italia, ZON, BSNL, TELEKOM AUSTRIA, Huawei...
- Unique IP phone partner of TI in mainland China




Office Area: 3000 square meters
Employee: more than 150

Factory Area: 10,000 square meters
Employee: 2000
Equipped with 6 flowing lines



Roadmap

Official certification:



Platform Compliance

| | | | | | |
|------------------|----------------|-----------------------|----------------------|-------------------|------------------|
| Broadsoft | Cisco | Alcatel-Lucent | Nokia-Siemens | Ericsson | Huawei |
| Avaya | Nortel | NEC-Philips | ZTE | Tadiran | ITS |
| Asterisk | Epygi | trixbox | DATUS | Sangoma | Switchvox |
| 3CX | Elastix | pbxnsip | Starface | VoipSwitch | ... |

Enterprise HD IP Phone

| Feature | Phone | SIP-T28P | SIP-T26P | SIP-T22P | SIP-T20P | SIP-T18P |
|--------------------|-------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| Chipset | | TI TITAN | TI TITAN | TI TITAN | TI TITAN | TI TITAN |
| LCD | | 320x160 graphic | 132x64 graphic | 132x64 graphic | 2x15 characters | — |
| Programmable Keys | | 16 | 13 | 3 | 2 | 2 |
| User Accounts | | 6 | 3 | 3 | 2 | 1 |
| HD Voice | | HD Codec HDHandset HDSpeaker | HD Codec HDHandset HDSpeaker | HD Codec HDHandset HDSpeaker | HD Codec HDHandset HDSpeaker | HD Codec — — |
| Wideband Codec | | G.722 | G.722 | G.722 | G.722 | G.722 |
| Narrowband Codec | | G.711 G.723.1 G.726 G.729AB | G.711 G.723.1 G.726 G.729AB | G.711 G.723.1 G.726 G.729AB | G.711 G.723.1 G.726 G.729AB | G.711 G.723.1 G.726 G.729AB |
| Speakerphone | | Full-duplex | Full-duplex | Full-duplex | Full-duplex | — |
| 3-way conferencing | | ✓ | ✓ | ✓ | ✓ | ✓ |
| BLF/BLA | | ✓ | ✓ | ✓ | ✓ | — |
| Intercom/Paging | | ✓ | ✓ | ✓ | ✓ | — |
| Call Completion | | ✓ | ✓ | ✓ | ✓ | — |
| Call Recording | | ✓ | ✓ | ✓ | ✓ | — |
| XML Browser | | ✓ | ✓ | ✓ | — | — |
| XML Phonebook | | ✓ | ✓ | ✓ | — | — |
| Hot-desking | | ✓ | ✓ | ✓ | — | — |
| OpenVPN | | ✓ | ✓ | — | — | — |
| SRTP/TLS/HTTPS | | ✓ | ✓ | ✓ | ✓ | — |
| 802.1x | | ✓ | ✓ | ✓ | ✓ | — |
| Auto Provision | | TFTP FTP HTTP HTTPS PnP | TFTP FTP HTTP HTTPS PnP | TFTP FTP HTTP HTTPS PnP | TFTP FTP HTTP HTTPS PnP | TFTP FTP HTTP PnP |
| Expansion Module | | ✓ | ✓ | — | — | — |
| PoE/ Headset | | ✓ | ✓ | ✓ | ✓ | PoE |

7" Digital TFT LCD + Touch Screen+ PoE



Model: VP-2009P

7" Digital TFT-LCD & Touch Screen

It featured with a 2M CMOS sensor camera and a 7" touchable TFT-LCD display with 800x480 pixels resolution. Besides, it provides the rich external interfaces including PoE, headset, USB, SD, AV out etc. for function extension.

H.264 Superior Video Codec

VP-2009P supports the best video codec H.264, which delivers stunning voice quality even at low data rates and supports up to D1 (720x480) & 30fps exceptional video performance.

Powerful TI DaVinci Engine

Equipped with TI DaVinci chipset, 128M flash and 128M DDR2 memory. High standard configuration of the phone makes the updating of value-added services available and saves the customer's invest at maximum.

Online/Offline Advertisement

Video advertisement could be played in ring back, talking and idle status. Advertisement could be online video stream from server or offline on local memory.

Enterprise HD IP Phone



Model: SIP-T28P+EXP39

HD Voice Quality

Equipped with the TI TITAN chipset and TI Voice Engine, it features with HD Headset and HD Speaker who is built a wideband sound-box, supports G.722 wideband codec and full-duplex hands-free speakerphone with enhanced AEC.

Full Interoperability

Broadsoft validated and Epygi, 3CX certified, full interoperability with the major IP-PBX, IMS, NGN softswitch and other 3rd party SIP products in the market today.

Phone Features

Supports BLF/BLA, XML screen/browser, XML/LDAP phonebook, Hot-Desking, Programmable keys, Auto-provision, Call recording, Call completion, Localized language, Voicemail, SMS, Dial plan, Intercom, VLAN, QoS, VPN, SRTP/TLS/HTTPS, PoE, headset and expansion module etc.

Security

Supports SRTP/TLS/HTTPS, VLAN, QoS, phone lock and encryption for important configuration.



Model: SIP-T28P

Executive IP Phone

6 Accounts, 320x160 Graphic LCD

Features with 6 VoIP Accounts, 6 line keys, 10 DSS keys and 320x160 graphic LCD with 4-level grayscale.

HD Voice Quality

Equipped with the TI TITAN chipset and TI Voice Engine, it features with HD Headset and HD Speaker who is built a wideband sound-box, supports G.722 wideband codec and full-duplex hands-free speakerphone with enhanced AEC.

Phone Features

Supports BLF/BLA, XML screen/browser, XML/LDAP phonebook, Hot-Desking, Programmable keys, Auto-provision, Call recording, Call completion, Localized language, Voicemail, SMS, Dial plan, Intercom, VLAN, QoS, VPN, 802.1x, IPV6, LLDP, SRTP/TLS/HTTPS, PoE, headset and expansion module etc.



Model: SIP-T26P

Advanced IP Phone

3 Accounts, 132x64 Graphic LCD

Features with 3 VoIP Accounts, 3 line keys, 13 programmable keys and 132x64 graphic LCD.

HD Voice Quality

Equipped with the TI TITAN chipset and TI Voice Engine, it features with HD Headset and HD Speaker who is built a wideband sound-box, supports G.722 wideband codec and full-duplex hands-free speakerphone with enhanced AEC.

Phone Features

Supports BLF/BLA, XML screen/browser, XML/LDAP phonebook, Hot-Desking, Programmable keys, Auto-provision, Call recording, Call completion, Localized language, Voicemail, SMS, Dial plan, Intercom, VLAN, QoS, VPN, 802.1x, IPV6, LLDP, SRTP/TLS/HTTPS, PoE, headset and expansion module etc.



Model: SIP-T22P

Professional IP Phone

3 Accounts, 132x64 Graphic LCD

Features with 3 VoIP Accounts, 3 line keys, 4 soft keys and 132x64 graphic LCD.

HD Voice Quality

Equipped with the TI TITAN chipset and TI Voice Engine, it features with HD Headset and HD Speaker who is built a wideband sound-box, supports G.722 wideband codec and full-duplex hands-free speakerphone with enhanced AEC.

Phone Features

Supports XML screen/browser, XML/LDAP phonebook, Hot-Desking, Programmable keys, Auto-provision, Call recording, Call completion, Localized language, Voicemail, SMS, Dial plan, Intercom, VLAN, QoS, VPN, 802.1x, IPV6, LLDP, SRTP/TLS/HTTPS, PoE and headset etc.



Model: SIP-T20P

Entry Level IP Phone

2 Accounts, 2x15 Characters LCD

Features with 2 VoIP Accounts, 2 line keys, 9 function keys and 2x15 characters LCD.

HD Voice Quality

Equipped with the TI TITAN chipset and TI Voice Engine, it features with HD Headset and HD Speaker who is built a wideband sound-box, supports G.722 wideband codec and full-duplex hands-free speakerphone with enhanced AEC.

Phone Features

Supports auto-provision, Localized language, Programmable keys, Voicemail, Dial plan, Intercom, Call completion, Call recording, VPN, 802.1x, IPV6, LLDP, SRTP/TLS/HTTPS, VLAN, QoS, PoE and headset etc.

Enterprise HD IP Phone



Model: SIP-T18P



Model: EXP39



Model: EXP38



Model: YHS32



Model: SIP-T9CM

Simple IP Phone

TI TITAN Chipset

Equipped with TI TITAN chipset and TI voice engine.

Physical Features

PoE, 1xRJ-45, 1xLED, 20 keys including 2 programmable keys, Desktop/Wall mountable.

Phone Features

Transfer, Hold, Redial, Mute, Speed dial, Call waiting, 3-way conference, Emergency call, Hotline, Volume control, Ringtone selection, Auto provision, Voice mail and WMI.

LCD Expansion Module

240 Programmable Keys

Rich visual experience with 160*320 graphic LCD
20 physical keys each with a dual-color LCD
20 additional keys through page switch
Daisy-chain 6 modules up to 240 keys

Functions for IP PBX

It supports speed dial, BLF/BLA, intercom, direct pickup, group pickup, conference, hold, transfer, group listening, call return, voicemail.

Expansion Module

228 Programmable Keys

38 programmable keys with LED, creates up to 228 additional programmable extensions when 6 EXT are daisy chained.

Functions for IP PBX

It supports speed dial, BLF/BLA, intercom, direct pickup, group pickup, conference, hold, transfer, group listening, call return, voicemail.

IP Phone Headset

Comfortable

Ultra light weight(only 50g), 330° adjustable microphone boom and quick disconnect (QD) interface helps to comfort the wear and is easy to use for all day long.

Ultra Noise Cancelling

Supports the MIC ultra noise cancelling, wide band design of receiver for the best sound result, Active Protection™ safeguards the user from the effects of an acoustic burst.

Nonperishable

Pliable steel headband, large size ear pad, ultra flex MIC wires improve the life of boom rolling even to 30K times.

Basic IP Phone

3 Accounts

It supports up to 3 VoIP accounts.

Physical Features

2x16 characters LCD with backlight, 24 hard keys, 2xLED for power and message indication, 2xRJ-45 Ethernet ports and PoE optional.

Phone Features

It supports call hold, call waiting, call forward, call transfer, 3-way conference, volume control, ringtone selection, localized language and 10 speed dial numbers etc.

USB Phone



Model: USB-M3K

- 2-in-1: Memory Stick + VoIP phone with stereo earphone
- Pre-loaded softphone auto-runs with account information
- Contact list and chat history auto-stored in the phone



Model: USB-P1M

- 2-in-1: Memory flash driver+VoIP phone
- Pre-loaded softphone auto-runs with account information
- Contact list and chat history auto-stored in the phone



Model: USB-P11B

- Ringing and LED indicated when incoming call
- Select Skype contact and dial out directly with keypad
- Echo cancellation, noise reduction, full duplex communication



Model: USB-P1KH

- LCD display, Phone rings for all incoming calls
- Driver built-in, no need for sound card
- Compatible with more than 20 softphones



Model: USB-P8DH

- large graphic LCD, headset jack supported
- Reviewable contact and call list in any language
- Compatible with more than 20 softphones



Model: USB-P4K

- Large LCD with blue backlight
- Commercial speakerphone, ideal for conference call
- Phone rings for incoming calls, ring style selectable



Model: USB-W1DL

- large graphic LCD with blue backlight
- Reviewable contact and call list in any language
- 2.4 GHz WiFi Band, suitable for Europe, USA, Japan



Model: USB-B2K

- Make/Receive both VoIP calls and regular PSTN calls
- Phone rings for all incoming VoIP and PSTN calls
- Echo cancellation, noise reduction

Yealink

YEALINK (XIAMEN) NETWORK TECHNOLOGY CO., LTD

